



LIGHTING FOR A
BETTER TOMORROW

PRICE RECKONER
OCTOBER 2022

EVEREADY >>>
INDUSTRIES INDIA LTD.

2, Rainey Park, Kolkata-700019, India
Consumer Care-address as above-Ph: 18002003445
E-mail: consumercare@eveready.co.in
www.evereadyindia.com

[f](#) /EvereadyIndia [t](#) @EvereadyIndia [v](#) /EvereadyIndia



Lighting for a better tomorrow

Modern lifestyle is creating spaces that need lighting up in creative ways. Light is not just a source anymore to brighten up your home, it is a transformative power that is changing the appearance of indoor and outdoor spaces from homes to highways as well as commercial to entertainment spaces.

Eveready, with an eye on the future is bringing luminaires that are energy efficient with no UV/IR effects, that blend seamlessly with the environment creating a soothing ambience. Less energy consumption means lesser carbon and greenhouse gas emission along with longer product life.

Our end-to-end comprehensive range of professional lighting solution optimises productivity, maximises power saving and saves the environment. Maintaining efficiency is at the heart of everything we do. Our belief in this value system, directs, determines and drives all our efforts in creating trust, quality and energy efficiency.

As we power ahead towards the future, we will continue to improve the quality of life of our customers through cutting edge lighting solutions and strengthen the timeless appeal of our brand. We are committed to light up the path for tomorrow's generations.





Product testing and quality control are the key elements on which product efficiency, performance and life depends. **EVEREADY Professional Lighting** team understands and values these attributes and hence has invested in a full-fledged, state-of-the-art NABL certified laboratory at Kolkata, that is equipped with modern testing equipment for examining electrical parameters, mechanical parameters, photometric parameters and electronic components of the luminaires. The products are tested as per IS 10322 _ 1:2014, photometry tests are conducted as per CIE 121 & CIE S 025. The testing and research facility carries out high accuracy trials to achieve precise testing results for LED based luminaires.

The qualified product development, testing and research team works round the clock to offer technically superior and futuristic products for today's and tomorrow's generations.



Goniophotometer



Integrating Sphere



IP Test Chamber



Humidity & Thermal Test Chamber



Certification





Certification



NABL Certification



Contents

Indoor Commercial Lighting 12

- LED Downlights
- LED Decorative Lights
- LED Troffers
- LED Battens
- LED Linear Lights

Industrial Lighting 30

- LED Highbay
- LED Well Glass
- LED Clean Room
- LED Bulkhead
- LED Batten
- LED Tubelight, Striplight, Ropelight

Outdoor Lighting 40

- LED Street Lights
- LED Solar Street Lights
- LED Flood Lights
- LED Landscape Lights
- LED Column Lights
- Decorative Pole
- LED Facade Lighting
- LED Smart Lighting

Drivers for LED Luminaires 60

- LED Indoor Luminaire Drivers
- LED Outdoor Luminaire Drivers





Indoor Commercial Lighting

- LED Downlights
- LED Decorative Lights
- LED Troffers
- LED Battens
- LED Linear Lights





Downlights Downlights



NULITE

Nulite round/square shaped LED downlights are designed to deliver not just high efficiency but also a superior quality of light. These LED downlights are made with pressure die cast aluminium housing for improved life and efficiency. It comes with opal acrylic diffuser for spot-free and uniform lighting.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDDNR006I4-01	6W	4000K	On Request	100 lm/W	12	1,600
On Request	LEDDNR006I6-01	6W	6500K	On Request	100 lm/W	12	1,600
6DA2408R809	LEDDNR009I4-01	9W	4000K	Ø128mm	100 lm/W	12	1,700
6DA2658R809	LEDDNR009I6-01	9W	6500K	Ø128mm	100 lm/W	12	1,700
6DA2408R812	LEDDNR012I4-01	12W	4000K	Ø128mm	100 lm/W	12	1,800
6DA2658R812	LEDDNR012I6-01	12W	6500K	Ø128mm	100 lm/W	12	1,800
6DA2408R815	LEDDNR015I4-01	15W	4000K	Ø148mm	100 lm/W	12	1,900
6DA2658R815	LEDDNR015I6-01	15W	6500K	Ø148mm	100 lm/W	12	1,900
6DA2408R818	LEDDNR018I4-01	18W	4000K	Ø148mm	100 lm/W	12	2,000
6DA2658R818	LEDDNR018I6-01	18W	6500K	Ø148mm	100 lm/W	12	2,000
On Request	LEDDN006I4-01	6W	4000K	On Request	100 lm/W	12	1,600
On Request	LEDDN006I6-01	6W	6500K	On Request	100 lm/W	12	1,600
6DA1408R809	LEDDN009I4-01	9W	4000K	128x128 mm	100 lm/W	12	1,700
6DA1658R809	LEDDN009I6-01	9W	6500K	128x128 mm	100 lm/W	12	1,700
6DA1408R812	LEDDN012I4-01	12W	4000K	128x128 mm	100 lm/W	12	1,800
6DA1658R812	LEDDN012I6-01	12W	6500K	128x128 mm	100 lm/W	12	1,800
6DA1408R815	LEDDN015I4-01	15W	4000K	148x148 mm	100 lm/W	12	1,900
6DA1658R815	LEDDN015I6-01	15W	6500K	148x148 mm	100 lm/W	12	1,900
6DA1408R818	LEDDN018I4-01	18W	4000K	148x148 mm	100 lm/W	12	2,000
6DA1658R818	LEDDN018I6-01	18W	6500K	148x148 mm	100 lm/W	12	2,000



NULITE BB

Nulite BB comes with a provision for battery back up with seamless shift to emergency lighting in case of power failure. These LED downlights are made with pressure die cast aluminium housing for improved life and efficiency. It comes with opal acrylic diffuser for spot-free and uniform lighting.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDDNR010I4-BB	10W	4000K	Ø128mm	100 lm/W	20	3,200
On Request	LEDDNR010I6-BB	10W	6500K	Ø128mm	100 lm/W	20	3,200
On Request	LEDDN010I4-BB	10W	4000K	128x128 mm	100 lm/W	20	3,200
On Request	LEDDN010I6-BB	10W	6500K	128x128 mm	100 lm/W	20	3,200

[#]MRP (inclusive of taxes) per unit




LED PANEL PRO SERIES

A backlit panel which not only provides uniform lighting but also gives a clean look to the ceiling. The design makes it both sleek to look at and easy to maintain. This stylish yet eco-friendly panel is ideal for both false and concrete ceilings.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹) [#]
6P36I38RB06	6W 65K Rd	6W	6500K	Ø100mm	100 lm/W	20	575
6P36I38RB09	9W 65K Rd	9W	6500K	Ø100mm	100 lm/W	20	625
6P36I38RB12	12W 65K Rd	12W	6500K	Ø150mm	100 lm/W	20	850
6P36I38RB15	15W 65K Rd	15W	6500K	Ø150mm	100 lm/W	20	1,000
6DP2658R818	LEDDNRP018I6	18W*	6500K	Ø205mm	100 lm/W	12	1,400
6DP2658R822	LEDDNRP022I6	22W*	6500K	Ø205mm	100 lm/W	12	1,550
6P34I38RB06	6W 40K Rd	6W	4000K	Ø100mm	100 lm/W	20	575
6P34I38RB09	9W 40K Rd	9W	4000K	Ø100mm	100 lm/W	20	625
6P34I38RB12	12W 40K Rd	12W	4000K	Ø150mm	100 lm/W	20	850
6P34I38RB15	15W 40K Rd	15W	4000K	Ø150mm	100 lm/W	20	1,000
6P33I38RB06	6W 30K Rd	6W	3000K	Ø100mm	90 lm/W	20	575
6P33I38RB09	9W 30K Rd	9W	3000K	Ø100mm	90 lm/W	20	625
6P33I38RB12	12W 30K Rd	12W	3000K	Ø150mm	90 lm/W	20	850
6P33I38RB15	15W 30K Rd	15W	3000K	Ø150mm	90 lm/W	20	1,000
6DP2408R818	LEDDNRP018I4	18W*	4000K	Ø205mm	100 lm/W	12	1,400
6DP2408R822	LEDDNRP022I4	22W*	4000K	Ø205mm	100 lm/W	12	1,550
6P46I48RB06	6W 65K Sq	6W	6500K	100 x 100 mm	100 lm/W	20	575
6P46I48RB09	9W 65K Sq	9W	6500K	100 x 100 mm	100 lm/W	20	625
6P46I48RB12	12W 65K Sq	12W	6500K	150 x 150 mm	100 lm/W	20	850
6P46I48RB15	15W 65K Sq	15W	6500K	150 x 150 mm	100 lm/W	20	1,000
6DP1658R818	LEDDNP018I6	18W*	6500K	205 x 205 mm	100 lm/W	12	1,400
6DP1658R822	LEDDNP022I6	22W*	6500K	205 x 205mm	100 lm/W	12	1,550
6P44I48RB06	6W 40K Sq	6W	4000K	100 x 100 mm	90 lm/W	20	575
6P44I48RB09	9W 40K Sq	9W	4000K	100 x 100 mm	90 lm/W	20	625
6P44I48RB12	12W 40K Sq	12W	4000K	150 x 150 mm	90 lm/W	20	850
6P44I48RB15	15W 40K Sq	15W	4000K	150 x 150 mm	90 lm/W	20	1,000
6P43I48RB06	6W 30K Sq	6W	3000K	100 x 100 mm	90 lm/W	20	575
6P43I48RB09	9W 30K Sq	9W	3000K	100 x 100 mm	90 lm/W	20	625
6P43I48RB12	12W 30K Sq	12W	3000K	150 x 150 mm	90 lm/W	20	850
6P43I48RB15	15W 30K Sq	15W	3000K	150 x 150 mm	90 lm/W	20	1,000
6DP1408R818	LEDDNP018I4	18W*	4000K	205 x 205 mm	100 lm/W	12	1,400
6DP1408R822	LEDDNP022I4	22W*	4000K	205 x 205 mm	100 lm/W	12	1,550

[#]MRP (inclusive of taxes) per unit

*18W and 22W also available in surface mounting



SURFACE RINGS FOR PANEL PRO SERIES

Eveready's Surface Rings are suitable for LED Panel Pro Series even when you don't have false ceilings. Fix the rings to the ceilings with the help of screws, remove the clips from the panel, click-fit the Panel in the Surface Ring.

Code	Cat Ref.	Wattage	Case Lot	MRP (₹) [#]
6SRP2116836	Surface Ring PC RD 116mm-04	6W/9W	20	200
6SRP1116836	Surface Ring PC SQ 116mm-04	6W/9W	20	200
6SRP2166836	Surface Ring PC RD 166mm-04	12W/15W	20	250
6SRP1166836	Surface Ring PC SQ 166mm-04	12W/15W	20	250



VISTRALITE II / VISTRALITE III

Innovatively designed, the LED downlights enhance spaces and creates the perfect setup for aesthetical living that is beautiful to look at yet low maintenance.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Case Lot	MRP (₹) [#]
6DP2658RD03	65KRd PL LED Downlight Recess	3W	6500K	58mm	40	200
6DP2308RE03	30KRd PL LED Downlight Recess	3W	3000K	58mm	40	200
6DP2RD8RF03	Red Rd PL LED Downlight Recess	3W	Red	58mm	40	200
6DP2GN8RF03	Green PL LED Downlight Recess	3W	Green	58mm	40	200
6DP2BE8RF03	Blue Rd PL LED Downlight Recess	3W	Blue	58mm	40	200
6DP2658RD06	65KRd PL LED Downlight Recess	6W	6500K	90mm	20	350
6DP2308RE06	30KRd PL LED Downlight Recess	6W	3000K	90mm	20	350
6DP2RD8RF06	Red Rd PL LED Downlight Recess	6W	Red	90mm	20	350
6DP2GN8RF06	Green PL LED Downlight Recess	6W	Green	90mm	20	350
6DP2BE8RF06	Blue Rd PL LED Downlight Recess	6W	Blue	90mm	20	350
6DP2PK8RF06	Pink Rd PL LED Downlight Recess	6W	Pink	90mm	20	350



[#]MRP (inclusive of taxes) per unit



RIGEL LED STRIKER

The super slim and sleek 3W striker is ideal to use in small spaces such as cabinets, showcases, bookshelves, modular kitchens etc. The light source has a long life and a powerful beam, making it a beautiful and an essential addition to your home

Code	Cat Ref.	Wattage	CCT	Case Lot	MRP (₹) [#]
6P36I38SB03	LED Striker 3W 65K Rd	3W	6500K	50	200
6P33I38SB03	LED Striker 3W 30K Rd	3W	3000K	50	200
6P3RI38SB03	LED Striker 3W Red Rd	3W	Red	50	200
6P3GI38SB03	LED Striker 3W Green Rd	3W	Green	50	200
6P3BI38SB03	LED Striker 3W Blue Rd	3W	Blue	50	200



LED SPOTLIGHT

A range of 2W affordable spotlights with low power consumption are available in a variety of wattages that are suitable for highlighting every space.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Case Lot	MRP (₹) [#]
6OP1658R002	2W LED 6500K Spot PL Frosted Sq	2W	6500K	33mm	40	150
6OP1278R002	2W LED 2700K Spot PL Frosted Sq	2W	2700K	33mm	40	150
6OPIRE8R002	2W LED Red Spot PL Frosted Sq	2W	Red	33mm	40	150
6OPIBL8R002	2W LED Blue Spot PL Frosted Sq	2W	Blue	33mm	40	150
6OPIGR8R002	2W LED Green Spot PL Frosted Sq	2W	Green	33mm	40	150
6OP1PI8R002	2W LED Pink Spot PL Frosted Sq	2W	Pink	33mm	40	150
6OP2658R002	2W LED 6500K Spot PL Frosted Rd	2W	6500K	33mm	40	150
6OP2278R002	2W LED 2700K Spot PL Frosted Rd	2W	2700K	33mm	40	150
6OP2RE8R002	2W LED Red Spot PL Frosted Rd	2W	Red	33mm	40	150
6OP2BL8R002	2W LED Blue Spot PL Frosted Rd	2W	Blue	33mm	40	150
6OP2GR8R002	2W LED Green Spot PL Frosted Rd	2W	Green	33mm	40	150
6OP2PI8R002	2W LED Pink Spot PL Frosted Rd	2W	Pink	33mm	40	150



[#]MRP (inclusive of taxes) per unit



HILITE D

New generation COB LED technology with thin trim deep recessed light source, equipped with an innovative optics. Because of its great color and light quality, it adds value to the products and merchandise by enhancing their aesthetic appeal.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDDNC004I3	4W	3000K	90 lm/W	20	750
On Request	LEDDNC004I4	4W	4000K	100 lm/W	20	750
On Request	LEDDNC008I3	8W	3000K	90 lm/W	20	1,300
On Request	LEDDNC008I4	8W	4000K	100 lm/W	20	1,300
On Request	LEDDNC012I3	12W	3000K	90 lm/W	20	1,500
On Request	LEDDNC012I4	12W	4000K	100 lm/W	20	1,500
On Request	LEDDNC015I3	15W	3000K	90 lm/W	20	1,800
On Request	LEDDNC015I4	15W	4000K	100 lm/W	20	1,800
On Request	LEDDNC020I3	20W	3000K	90 lm/W	20	2,200
On Request	LEDDNC020I4	20W	4000K	100 lm/W	20	2,200
On Request	LEDDNC030I3	30W	3000K	90 lm/W	20	3,800
On Request	LEDDNC030I4	30W	4000K	100 lm/W	20	3,800

*Efficacy 120lm/W and CRI 90 also available



HILITE

New generation COB LED technology with curve design, equipped with an innovative optics. Because of its wide range of choice, great color and light quality, these compact design lights add value to the products and merchandise by enhancing their aesthetic appeal.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDDNC008I3-01	8W	3000K	90 lm/W	20	1,200
On Request	LEDDNC008I4-01	8W	4000K	100 lm/W	20	1,200
On Request	LEDDNC012I3-01	12W	3000K	90 lm/W	20	1,400
On Request	LEDDNC012I4-01	12W	4000K	100 lm/W	20	1,400
On Request	LEDDNC015I3-01	15W	3000K	90 lm/W	20	1,700
On Request	LEDDNC015I4-01	15W	4000K	100 lm/W	20	1,700
On Request	LEDDNC020I3-01	20W	3000K	90 lm/W	20	2,100
On Request	LEDDNC020I4-01	20W	4000K	100 lm/W	20	2,100
On Request	LEDDNC030I3-01	30W	3000K	90 lm/W	20	3,700
On Request	LEDDNC030I4-01	30W	4000K	100 lm/W	20	3,700


*MRP (inclusive of taxes) per unit



HILITE T

New generation Tiltable COB LED technology equipped with an innovative optics that focus light on the desired areas. Because of its great color and light quality, it adds value to the products and merchandise by enhancing their aesthetic appeal. Durable and easy to use, adjustable optics which ensure eco-friendly and long-lasting features. It comes in compact design which enables enhanced outlook of the interiors.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDDCT008I3	8W	3000K	90 lm/W	20	1,400
On Request	LEDDCT008I4	8W	4000K	100 lm/W	20	1,400
On Request	LEDDCT012I3	12W	3000K	90 lm/W	20	1,600
On Request	LEDDCT012I4	12W	4000K	100 lm/W	20	1,600
On Request	LEDDCT015I3	15W	3000K	90 lm/W	20	1,900
On Request	LEDDCT015I4	15W	4000K	100 lm/W	20	1,900
On Request	LEDDCT020I3	20W	3000K	90 lm/W	20	2,300
On Request	LEDDCT020I4	20W	4000K	100 lm/W	20	2,300
On Request	LEDDCT030I3	30W	3000K	90 lm/W	20	3,900
On Request	LEDDCT030I4	30W	4000K	100 lm/W	20	3,900



GLITZ-W

A perfect luminaire can help light up every wall. Eveready wall lights help in enhancing your space and adding a perfect light to it. Our extensive range of luminaires can help you to light up every space aesthetically. Eveready wall lights provide the perfect light. It comes in one-way, two-way and four-way in order to create different patterns and designs on your walls.

Code	Cat Ref.	Wattage	Efficacy	CCT	Case Lot	MRP (₹) [#]
On Request	LEDWLS001I3 (One way)	1W	80 lm/W	3000K	20	On Request
On Request	LEDWLS003I3 (Two way)	3W	80 lm/W	3000K	20	On Request
On Request	LEDWLS005I3 (Four way)	5W	80 lm/W	3000K	20	On Request



*MRP (inclusive of taxes) per unit



GLITZ-CD

Glitz-CD is made up of high quality cylindrical aluminium extrusion with black/white colour powder coating options along with opal polystyrene diffuser for uniform light. Design provides option for both surface and suspended mounting

Code	Cat Ref.	Wattage	Efficacy	CCT	Case Lot	MRP (₹) [#]
On Request	LEDCDD008I4-W (White)	8W	70 lm/W	4000K	4	On Request
On Request	LEDCDD008I4-B (Black)	8W	70 lm/W	4000K	4	On Request
On Request	LEDCDD015I4-W (White)	15W	70 lm/W	4000K	4	On Request
On Request	LEDCDD015I4-B (Black)	15W	70 lm/W	4000K	4	On Request
On Request	LEDCDD020I4-W (White)	20W	70 lm/W	4000K	4	On Request
On Request	LEDCDD020I4-B (Black)	20W	70 lm/W	4000K	4	On Request



GLITZ-TR

Functional and stylish, track light from Eveready serves as both light source and art piece for your workplace. They allow you to design your own layout, creating a maze of straight lines, boxes, or curving or playful rails on the ceiling. The track light mounts on a support track in order to power the fixture and can be easily installed with simple screws and connected to existing electrical circuits, usually in the ceiling.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDTRL015I3-W	15W	3000K	80 lm/W	10	On Request
On Request	LEDTRL015I4-W	15W	4000K	80 lm/W	10	On Request
On Request	LEDTRL020I3-W	20W	3000K	80 lm/W	10	On Request
On Request	LEDTRL020I4-W	20W	4000K	80 lm/W	10	On Request
On Request	LEDTRL030I3-W	30W	3000K	80 lm/W	10	On Request
On Request	LEDTRL030I4-W	30W	4000K	80 lm/W	10	On Request
On Request	LEDTRL040I3-W	40W	3000K	80 lm/W	10	On Request
On Request	LEDTRL040I4-W	40W	4000K	80 lm/W	10	On Request
On Request	LEDTRL015I3-B	15W	3000K	80 lm/W	10	On Request
On Request	LEDTRL015I4-B	15W	4000K	80 lm/W	10	On Request
On Request	LEDTRL020I3-B	20W	3000K	80 lm/W	10	On Request
On Request	LEDTRL020I4-B	20W	4000K	80 lm/W	10	On Request
On Request	LEDTRL030I3-B	30W	3000K	80 lm/W	10	On Request
On Request	LEDTRL030I4-B	30W	4000K	80 lm/W	10	On Request
On Request	LEDTRL040I3-B	40W	3000K	80 lm/W	10	On Request
On Request	LEDTRL040I4-B	40W	4000K	80 lm/W	10	On Request

[#]MRP (inclusive of taxes) per unit



GLITZ-C

Aesthetically designed suspended decorative light generates an intimate atmosphere through comfortable lighting. It is equipped with an opal polycarbonate diffuser for uniform lighting and stainless steel suspension for easy installation. It is available in round shape.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6DLA408DC36	LESDL036I4	36W	4000K	90 lm/W	1	29,000

Available in different size and different shape (300mm,600mm,900mm)



GLITZ-T

Aesthetically designed suspended decorative light generates an intimate atmosphere through comfortable lighting. It is equipped with an opal polycarbonate diffuser for uniform lighting and stainless steel suspension for easy installation. It is available in triangular shape.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDTDL036I4	36W	4000K	90 lm/W	1	29,000



MASTERLITE EXECUTIVE NS

Light weight, Low depth, Recess mounted 2x2 LED luminaires made with CRCA sheet metal. This screwless luminaire comes with inbuilt control gear for easy maintenance. It has opal polystyrene diffuser for spotless glare free uniform lighting. It has flexibility to be installed at different types of ceilings - POP, Grid, Armstrong etc. which makes it best suited for offices and modern workspace areas. This product comes with clamps in NSG variant which is suitable for Gypsum ceilings.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6P2A658NS36	LEDPLB036I6-03NS	36W	6500K	100 lm/W	6	4,600
6P2A68NSG36	LEDPLB036I6-03NSG	36W	6500K	100 lm/W	6	4,800



[#]MRP (inclusive of taxes) per unit

**MASTERLITE EXECUTIVE N**

Low depth recess mounted 2X2 LED luminaires made with CRCA sheet metal which is light in weight, CRCA housing and frame with wider light window. It has opal polystyrene diffuser for spotless glare free uniform lighting for offices and modern workspace areas. The luminaire comes with non-integrated driver and offers flexibility of installation for different types of ceilings - POP, Grid, Armstrong etc.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6P2A658AB36	LEDPLB036I6-03N	36W	6500K	100 lm/W	4	4,800
On Request	LEDPLB024I6-03NHE	24W	6500K	120 lm/W	4	4,800
On Request	LEDPLB030I6-03NHE	30W	6500K	120 lm/W	4	5,000
6P2A658HE36	LEDPLB036I6-03NHE	36W	6500K	120 lm/W	4	5,200

*Also available in 4000K

**MASTERLITE EXECUTIVE NG**

Low depth recess mounted 2X2 recess mounted luminaires made in CRCA sheet metal with wider light window and opal polystyrene diffuser for spotless glare-free uniform lighting for offices and modern workspace areas. The luminaire offers flexibility of installation for different types of ceilings - POP, Armstrong, GRID etc. The Luminaire is also suitable for Gypsum ceiling and provides proper fitment and hassle-free maintenance.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6P2A658AG36	LEDPLB036I6-03NG	36W	6500K	100 lm/W	4	5,000

**MASTERLITE EXECUTIVE N 1X4**

Low depth recess/surface mounted 1X4 LED luminaires made with CRCA sheet metal which is light in weight, CRCA housing and frame with wider light window. It has opal polystyrene diffuser for spotless glare free uniform lighting for offices and modern workspace areas. The luminaire comes with non-integrated driver and offers flexibility of installation for different types of ceilings - POP, Grid, Armstrong etc.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6P2B658AT36	LEDPLL036I6-03S	36W	6500K	100 lm/W	2	6,300
On Request	LEDPLS036I6-03S	36W	6500K	100 lm/W	2	On Request

*MRP (inclusive of taxes) per unit

**MASTERLITE BB**


Masterlite BB comes with a provision for battery back up and seamless shift to emergency lighting in case of power failure. These are LED luminaires made in CRCA sheet metal with wider light window with opal polystyrene diffuser for spotless glare-free uniform lighting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6P2A658AC36	LEDPLB036I6-04BB	36W	6500K	100 lm/W	1	17,000

**MASTERLITE TD**

Recess mounted LED tunable and dimmable luminaires offering seamless colour changes from warm white to neutral white to cool white and also changes brightness in order to match the circadian rhythm of the human brain to improve efficiency of the employees.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6P2ATD8RB36	LEDPLB036I6-04 TD	36W	6500K	100 lm/W	2	18,500
6PR24G8RF36	LEDPLR24GRF-04 TD	REMOTE	NA	NA	1	900

**MASTERLITE HX**

CRCA powder coated housing with inbuilt control gear for easy maintenance. Deep drawn PMMA diffuser fixed with CRCA powder coated 6 cut hexagon frame provides decorative lighting solution for offices and modern workspace areas.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6P2A658AH36	LEDPLB036I6-04HX	36W	6500K	100 lm/W	2	6,700

**MASTERLITE**

1X1 recess mounted high efficiency luminaires made in CRCA sheet metal with wider light window and opal polystyrene diffuser for spotless glare free uniform lighting for offices and modern workspace areas. The luminaires offers flexibility of installation for different types of ceilings - POP, Armstrong, GRID etc. The luminaire is also suitable for Gypsum ceiling and provides proper fitment and hassle free maintenance.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6P4C658DB18	LEDPLB018I6-04	18W	6500K	110 lm/W	4	2,600

*MRP (inclusive of taxes) per unit



MASTERLITE (WITH OCCUPANCY SENSOR)

Recess mounted 2X2 high efficiency LED luminaires with inbuilt PIR occupancy sensor provided in luminaire for switching as per the movement of person. LED luminaire made in CRCA sheet metal with wider light window and opal polystyrene diffuser for spotless glare free uniform lighting for offices and modern workspace areas.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6P2A408OS24	LEDPLBSE024I4-04	24W	4000K	120 lm/W	2	5,700
6P2A408OS30	LEDPLBSE030I4-04	30W	4000K	120 lm/W	2	6,100
6P2A658OS36	LEDPLBSE036I6-04	36W	6500K	120 lm/W	2	7,500



MASTERLITE (WITH OCCUPANCY SENSOR)1X4

Recess mounted 1X4 high efficiency LED luminaires with inbuilt PIR occupancy sensor provided in luminaire for switching as per the movement of person. LED luminaire made in CRCA sheet metal with wider light window and opal polystyrene diffuser for spotless glare free uniform lighting for offices and modern workspace areas.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6P2B658OS36	LEDPLLSE036I6-04	36W	6500K	120 lm/W	2	8,500



MASTERLITE SURFACE

Surface mounted 2x2 luminaires made in CRCA sheet metal with wider light window and opal polystyrene diffuser for spotless uniform lighting for offices and modern workspace areas. Excellent lighting quality matches with good levels of dynamic and glarefree lighting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6P2A658HS36	LEDPLBS036I6-04HE	36W	6500K	120 lm/W	2	5,300
6P2A658HS45	LEDPLBS045I6-04HE	45W	6500K	120 lm/W	2	6,500



EASYLITE AL

LED batten for surface mounting applications made with aluminium extrusion for durability & improved life. Opal Polycarbonate diffuser with decorative end caps for soothing glare free lighting and IP20 degree of protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6B65PAM8010	LEDBTA010I6-01	10W	6500K	100 lm/W	20	650
6B65PAA8020	LEDBTA020I6-02	20W	6500K	100 lm/W	20	900
6B65PAAD020	LEDBTA020I6-SD	20W	6500K	100 lm/W	20	1,200
6B65PAM8040	LEDBTA040I6-01	40W	6500K	100 lm/W	20	1,600

[#]MRP (inclusive of taxes) per unit



BRIGHT PLUS

Slim and compact PC LED batten with sturdy housing, ensures low energy consumption, and gives glare-free and even light distribution. These 1000mm bright series battens are not only really aesthetic to look at but also the perfect choice for home and office spaces.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6BP1658H020	20W 65K LED Batten PL Bright Plus	20W	6500K	100 lm/W	20	330
6BP1308H020	20W 30K LED Batten PL Bright Plus	20W	3000K	90 lm/W	20	330



SUPER BRIGHT

Slim PC LED batten with sturdy housing, ensures low energy consumption, and gives glare-free and even light distribution. These 1100mm bright series battens are not only really aesthetic to look at but also the perfect choice for home and office spaces.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6BP1658G020	20W 65K LED Batten PL 20 Up	20W	6500K	100 lm/W	20	349
6BP1308G020	20W 30K LED Batten PL 20 Up	20W	3000K	100 lm/W	20	349



ULTRA BRIGHT

Slim PC LED batten with sturdy housing, ensures low energy consumption, and gives glare-free and even light distribution. These bright series battens are not only really aesthetic to look at but also the perfect choice for home and office spaces.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6BP1658O005	5W 65K Sq Led Batten PL	5W	6500K	100 lm/W	20	199
6BP1658T010	10W 65K Sq Led Batten PL	10W	6500K	100 lm/W	20	275



META BRIGHT

Designed with high quality aluminium extrusion these LED Battens have sturdy housing for surface mounting applications and boasts of an improved LED life. High quality diffuser and electronic driver ensures energy efficiency.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6BA1658F020	20W 65K Sq LED Batten AL	20W	6500K	100 lm/W	20	650
6BA1658F040	40W 65K Sq LED Batten AL	40W	6500K	100 lm/W	20	900

[#]MRP (inclusive of taxes) per unit



ARISTOCRAT R

Recess mounted linear extrusion series designed with high quality aluminium extrusion with an extruded PMMA milky diffuser for uniform & glare-free lighting. It also offers flexibility to users to go with multiple design options suitable for the available space.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6LAF308RB30	LEDRLLO30I3(4ft)	30W	3000K	100 lm/W	4	7,000
6LAF408RB30	LEDRLLO30I4(4ft)	30W	4000K	100 lm/W	4	7,000
6LAF658RB30	LEDRLLO30I6(4ft)	30W	6500K	100 lm/W	4	7,000
On Request	LEDRLLO40I3(4ft)	40W	3000K	100 lm/W	4	7,500
On Request	LEDRLLO40I4(4ft)	40W	4000K	100 lm/W	4	7,500
On Request	LEDRLLO40I5(4ft)	40W	5700K	100 lm/W	4	7,500
On Request	LEDRLLO40I6(4ft)	40W	6500K	100 lm/W	4	7,500
6LAT408RB90	LEDRLLO90I4(12ft)	90W	4000K	100 lm/W	1	22,000



ARISTOCRAT UD

Suspended updown linear extrusion series designed with reference to LG7 guidelines offering up down lighting options for volumetric lighting in a modern workspace area. High quality aluminium extrusion fixture comes with extruded PMMA milky diffuser for uniform & glare-free lighting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6LAF308DU40	LEDLLUD040I3	40W	3000K	100 lm/W	4	9,200
6LAF408DU40	LEDLLUD040I4	40W	4000K	100 lm/W	4	9,200
6LAF578DU40	LEDLLUD040I5	40W	5700K	100 lm/W	4	9,200
6LAF658DU40	LEDLLUD040I6	40W	6500K	100 lm/W	4	9,200




ARISTOCRAT TD

Linear extrusion suspended fixtures series designed with high quality aluminium extrusion with extruded PMMA milky diffuser for uniform and glare-free lighting. This luminaire also offers tunable and dimmable seamless colour changing feature from warm white to neutral white to cool white. It helps in reducing stress and fatigue in employees working for extended period in

offices and modern workspaces. Also has dimming feature to adjust brightness, to improve efficiency of the employees which can be managed through a hand-held remote.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6LAF8DB30	LEDLLO30I6-TD	30W	3000K-6500K	100 lm/W	4	10,200
On Request	LEDLLO40I6-TD	40W	3000K-6500K	100 lm/W	4	10,700
6PR24G8RF36	LEDPLR24GRF-04 TD REMOTE	NA	NA	NA	1	900

[#]MRP (inclusive of taxes) per unit



ARISTOCRAT S

Suspended linear extrusion series designed with high quality aluminium extrusion with extruded PMMA milky diffuser for uniform & glare-free lighting. It also offers flexibility to users to go with multiple design options suitable for the available space. It is available in various shapes like X,Y,V,L. These linear lights also can be offered with dimming options

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6LAG408DB20	LEDLLO20I4(2ft)	20W	4000K	100 lm/W	4	6,200
6LAG658DB20	LEDLLO20I6(2ft)	20W	6500K	100 lm/W	4	6,200
6LAF308DB40	LEDLLO40I3(4ft)	40W	3000K	100 lm/W	4	8,000
6LAF408DB40	LEDLLO40I4(4ft)	40W	4000K	100 lm/W	4	8,000
6LAF578DB40	LEDLLO40I5(4ft)	40W	5700K	100 lm/W	4	8,000
6LAF658DB40	LEDLLO40I6(4ft)	40W	6500K	100 lm/W	4	8,000
6LAH408DB60	LEDLLO60I4(6ft)	60W	4000K	100 lm/W	1	10,200
6LAE408DB80	LEDLLO80I4(8ft)	80W	4000K	100 lm/W	1	12,900
6LAF408DD18	LEDLLO18I4-D	18W	4000K	100 lm/W	4	18,900
6LAF408DV18	LEDLLO18I4-V	18W	4000K	100 lm/W	1	10,800
6LAG658DY30	LEDLLO30I6-Y	30W	6500K	100 lm/W	1	14,800
6LAE408DX36	LEDLLO36I4-X	36W	4000K	100 lm/W	1	20,900
6LAG408DL30	LEDLLO30I4-L	30W	4000K	100 lm/W	1	10,200
6LAI408DB09	LEDLLO09I4-1FT	9W	4000K	100 lm/W	4	5,500
6LAG408DB15	LEDLLO15I4-2FT	15W	4000K	100 lm/W	4	6,100
6LAC408DB22	LEDLLO22I4-3FT	22W	4000K	100 lm/W	4	7,000
6LAF408DB30	LEDLLO30I4-4FT	30W	4000K	100 lm/W	4	7,800
6LAJ408DB35	LEDLLO35I4-5FT	35W	4000K	100 lm/W	4	8,300
6LAH408DB45	LEDLLO45I4-6FT	45W	4000K	100 lm/W	1	9,000
6LAD408DB50	LEDLLO50I4-7FT	50W	4000K	100 lm/W	1	9,500
6LAE408DB60	LEDLLO60I4-8FT	60W	4000K	100 lm/W	1	11,000
6LAE578DB60	LEDLLO60I5-8FT	60W	5700K	100 lm/W	1	11,000



ARISTOCRAT BB

Aristocrat BB linear light comes with a provision for battery back up and seamless shift to emergency lighting in case of power failure. Designed with high quality aluminium extrusion with extruded PMMA milky diffuser for uniform & glare-free lighting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDLLO10I4-BB (2ft)	10W	4000K	100 lm/W	4	7,600
On Request	LEDLLO10I4-BB (2ft)	10W	6500K	100 lm/W	4	7,600
On Request	LEDLLO20I4-BB (4ft)	20W	4000K	100 lm/W	4	9,300
On Request	LEDLLO20I4-BB (4ft)	20W	6500K	100 lm/W	4	9,300

[#]MRP (inclusive of taxes) per unit



Indoor Commercial Lighting Installation



These are the actual installation photographs of our products.







Industrial Lighting

LED Highbay
LED Well Glass
LED Clean Room
LED Bulkhead
LED Batten

LED Tubelight
LED Strip light
LED Rope light
LED Pit light





PERFORBAY N

Industrial LED Highbay without lens made with pressure die cast aluminium housing with toughened glass. IP65 light weight LED highbay lights with unique design for better heat dissipation and long life.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6H57PAAS080	LEDHIBAY080I5-04N	80W	5700K	100 lm/W	1	6,500
6H57PAAS100	LEDHIBAY100I5-04N	100W	5700K	100 lm/W	1	7,500



PERFORBAY II EXECUTIVE PC

Industrial LED Highbay designed with precise PC bubble lens and high efficiency LEDs delivering better value to industrial clients; the product family comes in various wattages and is highly durable and light in weight thanks to its revolutionary design made with pressure die-cast aluminium housing. The product also offers IP66 degree of protection as a standard.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6H57PBAP080	LEDHIBAY080I5R-PC	80W	5700K	120 lm/W	1	11,800
6H57PBAP100	LEDHIBAY100I5R-PC	100W	5700K	120 lm/W	1	12,800
6H57PBAP120	LEDHIBAY120I5R-PC	120W	5700K	120 lm/W	1	14,800
6H57PBAP150	LEDHIBAY150I5R-PC	150W	5700K	120 lm/W	1	16,500
6H57PBAP200	LEDHIBAY200I5R-PC	200W	5700K	120 lm/W	1	23,800
6H65PBAP200	LEDHIBAY200I6R-PC	200W	6500K	120 lm/W	1	23,800
On Request	LEDHIBAY250I5R-PC	250W	5700K	120 lm/W	1	28,000



PERFORBAY II ULTRA PC

Industrial LED Highbay designed with precise PC bubble lens and high efficiency LEDs delivering better value to industrial clients; the product family comes in various wattages and is highly durable and light in weight thanks to its revolutionary design made with pressure die-cast aluminium housing. The product also offers IP66 degree of protection as a standard.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6H57PBER080	LEDHIBAY080I5R-PC HE	80W	5700K	150 lm/W	1	12,900
6H57PBER100	LEDHIBAY100I5R-PC HE	100W	5700K	150 lm/W	1	14,900
6H57PBER120	LEDHIBAY120I5R-PC HE	120W	5700K	150 lm/W	1	17,900
6H57PBER150	LEDHIBAY150I5R-PC HE	150W	5700K	150 lm/W	1	19,900
6H65PBER150	LEDHIBAY150I6R-PC HE	150W	6500K	150 lm/W	1	19,900
6H57PBER200	LEDHIBAY200I5R-PC HE	200W	5700K	150 lm/W	1	26,900
6H57PBER240	LEDHIBAY240I5R-PC HE	240W	5700K	150 lm/W	1	32,000

[#]Available with PIR/daylight sensor and dimming option

[#]MRP (inclusive of taxes) per unit



PERFORBAY III EXECUTIVE

Industrial LED Highbay designed with clear toughened glass and high efficiency LEDs and natural fits for industrial uses. The product family comes in various wattages and go-to solution in many workplaces for achieving bright and uniform illumination across large spaces. Made with pressure die-cast aluminium housing. The product also offers IP66 degree of protection as a standard.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6H57PBDR080	LEDHIBAY080I5R-03	80W	5700K	110 lm/W	1	12,500
6H57PBDR100	LEDHIBAY100I5R-03	100W	5700K	110 lm/W	1	13,500
6H57PBDR120	LEDHIBAY120I5R-03	120W	5700K	110 lm/W	1	15,300
6H57PBDR150	LEDHIBAY150I5R-03	150W	5700K	110 lm/W	1	16,800
6H57PBDR200	LEDHIBAY200I5R-03	200W	5700K	110 lm/W	1	24,300



PERFORBAY III EXECUTIVE WB

Industrial LED Highbay made with pressure die cast aluminium housing with toughened glass. The product family comes with secondary optics of 90° wide beam angle suitable for low ceiling spaces. The product also offers IP66 degree of protection as a standard.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6H65PBDR080	LEDHIBAY080I6R-03WB	80W	6500K	110 lm/W	1	12,500
6H57PBDW080	LEDHIBAY080I5R-03WB	80W	5700K	110 lm/W	1	12,500
6H57PBDW100	LEDHIBAY100I5R-03WB	100W	5700K	110 lm/W	1	13,500
6H57PBDW120	LEDHIBAY120I5R-03WB	120W	5700K	110 lm/W	1	15,300
6H57PBDW150	LEDHIBAY150I5R-03WB	150W	5700K	110 lm/W	1	16,800



SUPREX

Energy efficient LED well glasses are made with pressure die cast aluminum housing and clear polycarbonate diffuser, which are specially designed for maximum thermal efficiency and higher lumen efficacy. Well Glass with IP66 degree of protection & impact resistance of IK-08. Suprex well glass comes along with with cradle for stable mounting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6W57PBD7B27	LEDWL027I5-04CCL	27W	5700K	110 lm/W	12	4,550
On Request	LEDWL030I5-04CCL	30W	5700K	110 lm/W	12	4,650
6W57PBD7B35	LEDWL035I5-04CCL	35W	5700K	110 lm/W	12	4,750
6W57PBD7B40	LEDWL040I5-04CCL	40W	5700K	110 lm/W	12	4,850

[#]MRP (inclusive of taxes) per unit



Well Glass Cleanroom



SUPREX ULTRA

Industrial LED well glasses are made with pressure die cast aluminum housing and opal polycarbonate diffuser, which are specially designed for maximum thermal efficiency and higher lumen efficacy. Well Glass with IP66 degree of protection & impact resistance of IK-08 and cradle for stable mounting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) #
6W30PAC7D45	LEDWL045I3-03	45W	3000K	110 lm/W	12	6,500
6W57PAA7D45	LEDWL045I5-03	45W	5700K	110 lm/W	12	6,500
On Request	LEDWL065I3-03	65W	3000K	110 lm/W	6	9,500
6W57PBD7B65	LEDWL065I5-03	65W	5700K	110 lm/W	6	9,500



SUPREX ULTRA (WITH CRADLE)

Industrial LED well glasses are made with pressure die cast aluminum housing and opal polycarbonate diffuser, which are specially designed for maximum thermal efficiency and higher lumen efficacy. Well Glass with IP66 degree of protection & impact resistance of IK-08 and cradle along with eye bolt for stable mounting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) #
6W57PBD7C45	LEDWL045I5-03C	45W	5700K	110 lm/W	12	6,700
6W57PBD7C65	LEDWL065I5-03C	65W	5700K	110 lm/W	6	9,700



CLEANZ-T

Recess mounted top opening type cleanroom lighting solutions made up of CRCA Powder coated housing specially designed to suit specific requirements for pharmacy, F&B and healthcare sectors. The product comes in various wattages, and options of SS/CRCA frame & delivers lumens suitable for various applications.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹) #
6C4C578RT24	LEDTCLN024I5-01	24W	5700K	300x300mm	100 lm/W	1	7,000
On Request	LEDTCLN024I5-01SS	24W	5700K	300 x 300mm	100 lm/W	1	On Request
6C3C578RT36	LEDTCLN036I5-01	36W	5700K	600 x 300mm	100 lm/W	1	9,800
On Request	LEDTCLN045I5-01	45W	5700K	600 x 300mm	100 lm/W	1	On Request
6C1S578RT60	LEDTCLN060I5-01SS	60W	5700K	600 x 600mm	100 lm/W	1	13,000
On Request	LEDTCLN080I5-01	80W	5700K	600 x 600mm	100 lm/W	1	On Request
On Request	LEDTCLN080I5-01SS	80W	5700K	600 x 600mm	100 lm/W	1	On Request

#MRP (inclusive of taxes) per unit



CLEANZ-B(2X2)

Recess mounted 2x2 bottom opening type cleanroom lighting solutions made up of CRCA powder coated housing specially designed to suit specific requirements for pharmacy, F&B and healthcare sectors. The product comes in various wattages & delivers lumens suitable for various applications. Offered with option of SS/CRCA frame, with screw/screwless frame options are also available.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹) #
6C16578RB36	LEDBCLN036I5-02SL	36W	5700K	570x570	100 lm/W	1	10,900
6C1C578RB45	LEDBCLN045I5-01SL	45W	5700K	570x570	100 lm/W	1	11,200
6C1C578RB60	LEDBCLN060I5-01SL	60W	5700K	570x570	100 lm/W	1	12,500
6C1C578RB80	LEDBCLN080I5-01SL	80W	5700K	570x570	100 lm/W	1	13,500
6C1S578RB45	LEDBCLN045I5-02SSL	45W	5700K	570x570	100 lm/W	1	11,500
6C1S578RB60	LEDBCLN060I5-01SSL	60W	5700K	570x570	100 lm/W	1	13,000
6C1C5S8RB60	LEDBCLN060I5-01	60W	5700K	570x570	100 lm/W	1	12,500



CLEANZ-B(1X1)

Recess mounted 1x1 Bottom opening type cleanroom lighting solutions made up of CRCA powder coated housing specially designed to suit specific requirements for pharmacy, F&B and healthcare sectors. The product comes in various wattages, and option of SS/CRCA frame & delivers lumens suitable for various applications.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹) #
6C4C578RB24	LEDBCLN024I5-01SL	24W	5700K	300x300	100 lm/W	2	5,500
6C4S578RB24	LEDBCLN024I5-01SSL	24W	5700K	300x300	100 lm/W	2	6,500



CLEANZ-B(2X1)

Recess mounted 1x2 bottom opening type cleanroom lighting solutions made up of CRCA powder coated housing specially designed to suit specific requirements for pharmacy, F&B and healthcare sectors. The product comes in various wattages, and option of SS/CRCA frame & delivers lumens suitable for various applications.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹) #
6C3C578RB36	LEDBCLN036I5-01SL	36W	5700K	605x305	100 lm/W	1	6,200
6C3C578RB45	LEDBCLN045I5-02SL	45W	5700K	605x305	100 lm/W	1	7,500
6C3S578RB45	LEDBCLN045I5-01SSL	45W	5700K	605x305	100 lm/W	1	8,700

#MRP (inclusive of taxes) per unit



Bulkhead
Batten
Tube


Strip Light
Rope Light
Pit Light



SKITH

LED bulk head made with injection molded polycarbonate material and UV stabilized opal polycarbonate diffuser for glare-free lighting, IP65 degree of protection and with impact resistance of IK-08.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6G4D578SF10	LEDBK010I5-01	10W	5700K	95 lm/W	10	1,100
On Request	LEDBK010I5-02	10W	5700K	95 lm/W	10	1,000



EASYLITE BOX

Industrial box type luminaire made in CRCA housing with single & twin LED tube mounting options.

Code	Cat Ref.	Wattage	CCT	Ceiling Cutout	Efficacy	Case Lot	MRP (₹)#
6SLCFPC1018	INBOXFR1x18W	NA	NA			20	500
6SLCFPC2018	INBOXFR2x18W	NA	NA			16	600



HORIZONTALITE PC ULTRA

LED weather proof luminaire made with injection molded polycarbonate material and UV stabilized opal polycarbonate diffuser with IP65 ingress protection & impact resistance of IK-08. Loop-in-loop-out facility for larger installations.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6BP65A88M40	LEDPC040I6-02	40W (1140mm)	6500K	120 lm/W	8	4,800
6BP30A88M40	LEDPC040I3-02	40W (1140mm)	3000K	120 lm/W	8	4,800
6BPF65A8820	LEDPC020I6-02 4ft	20W (1140mm)	6500K	120 lm/W	8	4,700
6BP65A88M20	LEDPC020I6-02	20W (580mm)	6500K	120 lm/W	8	4,000



OROTIP AL

This retrofit LED tube oblong in shape is made up with light weight aluminium extruded housing and polycarbonate diffuser. Low power LED with series parallel array for uniform glare-free light.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6T65PAD8020	LEDAT020I6	20W	6500K	110 lm/W	20	700

#MRP (inclusive of taxes) per unit



STRIP LIGHT

We offer flexible LED strip lighting perfectly suited for interior and exterior illumination applications. Our LED strip boasts High CRI levels, 7-15W per m, high lumen efficacy and longer LED life. Perfectly suited to recessed Step lighting, Cove Lighting, Furniture Accent lighting and linear walkway lighting.



ROPE LIGHT

Eveready Rope lights are heat-resistant, anti UV, energy-saving, durable and has strong flexibility. These are IP65 rated for superior life and can withstand harsh weather conditions. Applicable for bendable or angled patterns, or in continuous rows. Low power consumption, safe and reliable. This LED Rope light can be used both indoors and outdoors. Ideal for Street

decoration, Home Decoration, Outdoor Project, Hotel, Office Building, Ad Boxes, Showcase, Shopping Mall, Stores and Festivals.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
On Request	LEDRPL007I3	7W/mtr	3000K	460 lm/Mtr	5 mtr Roll	6,000
On Request	LEDRPL007I6	7W/mtr	6500K	500 lm/Mtr	5 mtr Roll	6,000



PIT LIGHT

Pit lights are used in all sectors of professional lighting segment such as Power, Cement, Steel, Glass, Oil & Gas, Chemical, Municipalities, PWD's etc. These aesthetically designed Aluminium IP67 die-cast enclosures are suitable for illuminating industrial areas and railway lines for repair & maintenance work.

WATTAGE	PF	CCT	CRI	THD
16W	>0.95	6500K	>75	<10



#MRP (inclusive of taxes) per unit



Industrial Lighting Installation



These are the actual installation photographs of our products.





Outdoor Lighting

- LED Street Lights
- LED Solar Street Lights
- LED Flood Lights
- LED Landscape Lights
- Decorative Pole
- LED Column Light
- LED Facade Light
- LED Smart Light





Streetlight Streetlight



CITYLITE MINI

LED Street Lights with Potted Driver for city roads, arterial roads and multi-level junctions. These single piece of pressure die-cast aluminium housing street lights have clear toughened glass diffuser and bottom opening driver compartment. It comes up with secondary optics and individual high power LEDs for better light distribution and control. Higher safety ensured

with IP66 degree of protection and Potted Driver with 5KV internal and 10KV external surge protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6R30PQAC045	LEDSL045I3-04 PD	45W	3000K	100 lm/W	1	6,500
6R57PQAC045	LEDSL045I5-04 PD	45W	5700K	110 lm/W	1	6,500
On Request	LEDSL045I4-04	45W	5700K	110 lm/W	1	On Request
6R57PBDA060	LEDSL060I5-04N	60W	5700K	110 lm/W	1	7,100
6R30PBB7060	LEDSL060I3-04	60W	3000K	100 lm/W	1	7,200
6R57PBAA060	LEDSL060I5-04	60W	5700K	110 lm/W	1	7,200
6R30PBB7072	LEDSL072I3-04	72W	3000K	100 lm/W	1	8,500
6R57PBAA072	LEDSL072I5-04	72W	5700K	110 lm/W	1	8,500



CITYLITE MID

Citylite Mid LED Street Lights with Potted Driver are used for city roads, arterial roads and multi-level junctions. Made with a single piece of pressure die-cast aluminium housing and top opening driver compartment makes it sturdy & easy for maintenance. It has toughened glass with secondary optics and individual high power LEDs for better light distribution and

control. IP66 degree of protection and Potted Driver with 5KV internal and 10KV external surge protection are provided for increased safety.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6R30PBAB090	LEDSL090I3-04	90W	3000K	100 lm/W	1	11,000
6R57PBAB090	LEDSL090I5-04	90W	5700K	110 lm/W	1	11,000
6R30PBAB120	LEDSL120I3-04	120W	3000K	100 lm/W	1	14,000
6R57PBAB120	LEDSL120I5-04	120W	5700K	110 lm/W	1	14,000
On Request	LEDSL150I3-04	150W	3000K	100 lm/W	1	15,500
6R57PBD7150	LEDSL150I5-04	150W	5700K	110 lm/W	1	15,500

[#]Available with PIR/daylight sensor and dimming option



[#]MRP (inclusive of taxes) per unit



CITYLITE MAX

LED Street lights for National highways, main roads, arterial roads, multi level junctions and city roads are made with a single piece of pressure die cast aluminium housing and top opening driver compartment. It has toughened glass with secondary optics and individual high power LEDs for better light distribution and control. Enhanced safety features of IP66, IK-07

and Potted driver with 5KV & 10KV external surge protection makes it durable.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6R57PBD7180	LEDSL180I5-04	180W	5700K	110 lm/W	1	17,500
6R57PBD7200	LEDSL200I5-04	200W	5700K	110 lm/W	1	25,000
6R57PBF7250	LEDSL250I5-04 HE(NHAI)	250W	5700K	130 lm/W	1	30,000



CITYLITE HE

These street lights are aerodynamically designed for all-weather conditions with excellent thermal management, made with pressure die cast housing with toughened glass and high power LEDs with secondary optics and IP66 protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDSL030I5-04 HE	30W	5700K	120 lm/W	4	5,000
On Request	LEDSL045I5-04 HE	45W	5700K	120 lm/W	1	6,800
On Request	LEDSL060I5-04 HE	60W	5700K	120 lm/W	1	7,500
On Request	LEDSL072I5-04 HE	72W	5700K	120 lm/W	1	9,000
On Request	LEDSL090I5-04 HE	90W	5700K	120 lm/W	1	11,500
On Request	LEDSL110I5-04 HE	110W	5700K	120 lm/W	1	14,000
On Request	LEDSL120I5-04 HE	120W	5700K	120 lm/W	1	15,000
On Request	LEDSL130I5-04 HE	130W	5700K	120 lm/W	1	15,500
On Request	LEDSL150I5-04 HE	150W	5700K	120 lm/W	1	16,500



[#]MRP (inclusive of taxes) per unit



Streetlight Streetlight



CITYLITE PC

Aesthetically designed, energy efficient LED street light with an urban look for main roads, secondary roads and gated communities. This sturdy product is made up of a pressure die cast aluminium housing and has top opening driver compartment. The IK08 street light comes with Potted Driver which has 5KV & 10KV external surge protection. It has

polycarbonate diffuser cum lens with high power LEDs for better light distribution. Lens fixed with silicon gasket for better ingress protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6R57PBH8030	LEDL030I5-PC HE	30W	5700K	120 lm/W	1	3,500
On Request	LEDL036I5-PC HE	36W	5700K	120 lm/W	1	4,300
On Request	LEDL045I5H-PC	45W	5700K	120 lm/W	1	5,000
On Request	LEDL060I5H-PC	60W	5700K	120 lm/W	1	7,200
6R57PBHH072	LEDL072I5H-PC	72W	5700K	120 lm/W	1	8,500
6R57PBD7090	LEDL090I5-PC	90W	5700K	120 lm/W	1	10,000
6R57PBD7120	LEDL120I5-PC	120W	5700K	120 lm/W	1	12,000
6R57PBH7150	LEDL150I5-PC	150W	5700K	120 lm/W	1	15,000



Citylite PC (NHAI)

Energy efficient LED street light specially made for National highways, main roads, arterial roads, multi level junctions and city roads. This sturdy product is made up of a pressure die cast aluminium housing and has top opening driver compartment. The IK08 product has Potted Driver and comes with 5KV

internal & 10KV external surge protection. It has polycarbonate

diffuser cum lens with high power LEDs for better light distribution. Silicon gasket is used for better ingress protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6R57PBF7180	LEDL180I5-PC	180W	5700K	130 lm/W	2	23,000
6R57PBF7210	LEDL210I5-PC	210W	5700K	130 lm/W	2	25,000



[#]MRP (inclusive of taxes) per unit



MINIMIGHT II

Energy efficient LED street light with an urban look for secondary roads and gated communities. This product with pressure die cast aluminium housing has a bottom opening driver compartment. It has Potted Driver and 5KV inbuilt surge protection to make it sturdy. The polycarbonate diffuser cum lens with mid power LEDs gives better light distribution and

silicon gasket is provided for better ingress protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6R57PBD8015	LEDL015I5-PC	15W	5700K	110 lm/W	10	2,200
6R57PBD8020	LEDL020I5-PC	20W	5700K	110 lm/W	10	2,500
6R57PBD8025	LEDL025I5-PC	25W	5700K	110 lm/W	10	2,800
6R57PBD8030	LEDL030I5-PC	30W	5700K	110 lm/W	6	3,000
6R57PBD8036	LEDL036I5-PC	36W	5700K	110 lm/W	6	3,700
6R57PQAD045	LEDL045I5-PC	45W	5700K	110 lm/W	4	4,700
6R57PQAD050	LEDL050I5-PC	50W	5700K	110 lm/W	4	5,900
6R57PBD7060	LEDL060I5-PC	60W	5700K	110 lm/W	1	7,000
6R57PBD7072	LEDL072I5-PC	72W	5700K	110 lm/W	1	7,500



MINIMIGHT II (WITH SENSOR)

Street light with inbuilt daylight sensor which switches ON/OFF automatically in the absence/presence of sunlight. This IP66, IK08 streetlight comes in a pressure die cast aluminium housing with Epoxy grey powder coated finish for better aesthetics. Polycarbonate diffuser along with integrated lens fixed with silicon gasket for better ingress protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDLSE305I5-PC	30W	5700K	110 lm/W	On Request	On Request
On Request	LEDLSE036I5-PC	36W	5700K	110 lm/W	On Request	On Request
On Request	LEDLSE045I5-PC	45W	5700K	110 lm/W	12	7,000
On Request	LEDLSE060I5-PC	60W	5700K	110 lm/W	On Request	On Request
On Request	LEDLSE072I5-PC	72W	5700K	110 lm/W	On Request	On Request



[#]MRP (inclusive of taxes) per unit



Zebra Crossing Street Light Solar Street Light




ZEBRA CROSSING STREET LIGHT

LED street light for zebra crossing makes pedestrian's life safer. Considerable contrast & glare-free illumination ensures safety during night hours. Customised light distribution allows visibility of both pedestrian & crossing. It is made with a single piece pressure die-cast aluminium housing and has top opening driver compartment for easy maintenance. It has secondary optics and

individual high power LEDs for better light distribution & control. Similar looking one family design with IP 66 degree of protection and integrated driver with 5KV internal & 10KV external surge protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6R57PBAT120	LEDL120I5-03	120W	5700K	100 lm/W	1	28,000



ZEBRA POLE SINGLE ARM

Eveready Zebra crossing lighting is a specialized lighting solution to take care of the well-being of pedestrians crossing road. This lighting solution ensures right lighting levels with considerable contrast & glare-free illumination thereby ensuring safety during night hours and helps drivers to differentiate Zebra crossing from long distance.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6E1GP613M01	ZPGI06SA	NA	NA	NA	1	On Request



[#]MRP (inclusive of taxes) per unit



INTEGRATED SOLAR STREET LIGHT


Save energy with our new generation Integrated Solar Street Lights with integrated solar panel. It has lithium ion phosphate battery & high efficiency high power LEDs. The polycarbonate diffuser-cum-lens offers precise light distribution and control. The aluminium extrusion body acts as an excellent heat sink for better luminaire and LED life. Optional PIR motion detectors

add to extended battery life during non-peak hours of operation. The product comes with IP66 degree of protection and is supplied with attachments which can fit into existing poles, walls, offering greater flexibility for installation.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6S60PAAA012	LEDSS012I6-01	12W	6500K	140 lm/W	1	42,000
6S57PAEI016	LEDSS016I5-01	16W	5700K	140 lm/W	1	60,000
On Request	LEDSS020I5-01	20W	5700K	140 lm/W	1	On Request
On Request	LEDSS025I5-01	25W	5700K	140 lm/W	1	On Request
6857PBEI026	LEDSS026I5-HY	26W	5700K	140 lm/W	1	On Request
On Request	LEDSS030I5-01	30W	5700K	140 lm/W	1	On Request
6S57PAHF035	LEDSS035I5-01	35W	5700K	140 lm/W	1	75,000
6S570PAAF040	LEDSS040I5-01	40W	5700K	140 lm/W	1	96,000
On Request	LEDSS050I5-01	50W	5700K	140 lm/W	1	On Request
6S570PAAH060	LEDSS060I5-01	60W	5700K	140 lm/W	1	1,40,000



[#]MRP (inclusive of taxes) per unit



EXPLORER N

LED Flood Lights for area lighting applications made with single piece pressure die-cast aluminium housing with dedicated heat sink and toughened glass with inbuilt control gear. LEDs are surrounded with aluminium reflector for better light distribution and control. This bottom opening flood light range is with IP66 degree of protection, impact resistance of IK 07 and integrated driver with 5KV Inbuilt surge protection for better enhanced features.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) #
6F57PBAE030	LEDFL030I5-04	30W	5700K	100 lm/W	10	3,000
6F57PBAE050	LEDFL050I5-04	50W	5700K	100 lm/W	6	4,000
6F57PBAE080	LEDFL080I5-04	80W	5700K	100 lm/W	4	5,500
6F57PBAE100	LEDFL100I5-04	100W	5700K	100 lm/W	4	6,500
6F30PBAE100	LEDFL100I3-04	100W	3000K	100 lm/W	4	6,500
6F57PBAE120	LEDFL120I5-04	120W	5700K	100 lm/W	2	8,500
6F57PBAE150	LEDFL150I5-04	150W	5700K	100 lm/W	1	10,500
6F57PBAE200	LEDFL200I5-04	200W	5700K	100 lm/W	1	13,500




EXPLORER L

Illuminate your surroundings with Eveready LED Flood Lights which are made with single piece pressure die-cast aluminium housing. It has dedicated heat sink and toughened glass with inbuilt control gear. This flood light comes with secondary optics with beam angle of 60° and individual high power LEDs for better light distribution control. These bottom opening flood

right range is with IP66 degree of protection, impact resistance of IK 07 and potted driver with 5KV Inbuilt & 10KV external surge protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) #
On Request	LEDFL050I5-04L	50W	5700K	100 lm/W	On Request	On Request
6F57PBDL080	LEDFL080I5-04L	80W	5700K	110 lm/W	2	10,000
6F57PBDL100	LEDFL100I5-04L	100W	5700K	110 lm/W	2	11,000
6F57PBDL120	LEDFL120I5-04L	120W	5700K	110 lm/W	2	14,000
6F57PBDL150	LEDFL150I5-04L	150W	5700K	110 lm/W	1	16,000
On Request	LEDFL180I5-04L	180W	5700K	100 lm/W	1	20,000
6F57PBDL200	LEDFL200I5-04L	200W	5700K	110 lm/W	1	27,000



EXPLORER

A well thought out and expertly curated stylish and aesthetic flood lights from Eveready to enliven open spaces with brilliance. It is suitable for façade lighting, area lighting, parking areas, playgrounds, townships etc. Elegant design, installer friendly and durable luminaire for high brightness and uniform light distribution.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) #
6F65PAA8060	LEDFL060I6-01	60W	6500K	100 lm/W	5	3,000

#MRP (inclusive of taxes) per unit



PERFORMAX

LED Flood Lights for area lighting applications made with single piece pressure die-cast aluminium housing with dedicated heat sink and toughened glass. The Performax LED Flood Light has control gear at back side for durability. It has secondary optics and high power LEDs for better light distribution control. This top opening flood light range is with IP66 degree of protection,

impact resistance of IK 07 and potted driver with 5KV Inbuilt & 10KV external surge protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) #
6F57PBD7100	LEDFL100I5-03	100W	5700K	110 lm/W	4	15,000
6F57PBD7120	LEDFL120I5-03	120W	5700K	110 lm/W	4	17,000
6F30PAA7150	LEDFL150I3-03	150W	3000K	110 lm/W	2	21,000
6F57PAA7150	LEDFL150I5-03	150W	5700K	110 lm/W	2	21,000
6F30PAA7200	LEDFL200I3-03	200W	3000K	110 lm/W	2	29,000
6F57PAA7200	LEDFL200I5-03	200W	5700K	110 lm/W	2	29,000
6F57PBDC250	LEDFL250I5-03	250W	5700K	110 lm/W	1	33,000
6F57PBDC300	LEDFL300I5-03	300W	5700K	110 lm/W	1	39,000
6F57PBA7350	LEDFL350I5-03	350W	5700K	110 lm/W	1	45,000
6F57PBA7400	LEDFL400I5-03	400W	5700K	110 lm/W	1	53,000




PERFORMAX M

LED Flood Lights made with single piece aluminium extruded housing with dedicated heat sink provides better thermal performance. LEDs with Polycarbonate diffuser cum lens provides better light distribution and control. IP66 degree of protection & impact resistance of IK-08 makes it sturdy & durable. Top opening Separate control gear compartment with

Potted Driver of 5KV & 10KV external surge protection for enhanced safety. This is widely used product for area lighting.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) #
6F57PBDM150	LEDFL150I5-03M	150W	5700K	120 lm/W	1	20,000
6F57PBDM200	LEDFL200I5-03M	200W	5700K	120 lm/W	1	28,000
6F57PBDM250	LEDFL250I5-03M	250W	5700K	120 lm/W	1	32,000
6F57PBDM300	LEDFL300I5-03M	300W	5700K	120 lm/W	1	38,000



#MRP (inclusive of taxes) per unit



Landscape Light Landscape Light



PERFORMAX H

LED Flood Lights for area lighting applications are made with single piece pressure die-cast aluminium housing with dedicated heat sink and toughened glass. LEDs with secondary optics with beam angle of 30° is provided for better light distribution and control, IP66 degree of protection & impact resistance of IK-07 makes it durable & sturdy product. Top opening separate control

gear compartment with Potted Driver of 5KV & 10KV external surge protection for enhanced safety features.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6F57PBH7250	LEDFL250I5-03H	250W	5700K	120 lm/W	1	33,000
6F57PBH7300	LEDFL300I5-03H	300W	5700K	120 lm/W	1	36,000
6F57PBH7350	LEDFL350I5-03H	350W	5700K	120 lm/W	1	42,000
6F57PBH7400	LEDFL400I5-03H	400W	5700K	120 lm/W	1	49,000
6F57PBH7500	LEDFL500I5-03H	500W	5700K	120 lm/W	1	60,000



LED BOLLARD

LED Bollards for pathways and gardens are made with aluminium extrusion for sturdiness and better finish. UV stabilized injection moulded opal polycarbonate diffuser for spot-free lighting and IP65 degree of protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6L2B308MA09	LEDBLM009I3-01	9W	3000K	70 lm/W	1	6,000
On Request	LEDBLM010I3-01	10W	3000K	70 lm/W	1	6,800



LED BOLLARD

LED Bollards for pathways and gardens are made with aluminium extrusion for sturdiness and better finish. UV stabilized injection moulded opal polycarbonate diffuser for spot-free lighting and IP65 degree of protection.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
6L2B308EA09	LEDBLC009I3-01	9W	3000K	70 lm/W	1	6,000
On Request	LEDBLC010I3-01	10W	3000K	70 lm/W	1	6,800



LED POST TOP JASMINE

Now enhance your surroundings with Eveready LED post top. It can be used for gate lights, pathways, gardens and promenades. It comes with aluminium housing and injection moulded opal polycarbonate diffuser for an uniform and glare-free lighting. IP66 degree of protection & impact resistance of IK-08 makes it sturdy & durable.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
On Request	LEDPOST025I3-02	25W	3000K	90 lm/W	4	7,000
On Request	LEDPOST025I5-02	25W	5700K	100 lm/W	4	7,000

#MRP (inclusive of taxes) per unit



LED POST TOP HOLLY

Aesthetic LED post tops for gate lights, pathways, gardens and promenades with spun aluminium housing and pressure die-cast spigot. Clear Polycarbonate diffuser is provided for uniform bright light. This durable product comes with IP66 degree of protection & impact resistance of IK-08.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
On Request	LEDPOST036I3-02C	36W	3000K	90 lm/W	1	11,000
6LIP308HC45	LEDPOST045I3-02C	45W	3000K	90 lm/W	1	14,000
6LIP578HA45	LEDPOST045I5-02C	45W	3000K	100 lm/W	1	14,000



LED POST TOP VICTOR

Aesthetically designed Circular shape LED post top luminaire best suitable for pathways, gardens and promenades with a die-cast aluminium housing and anti-glare polycarbonate diffuser for uniform bright light. It comes with IP66 degree of protection & impact resistance of IK-08.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
On Request	LEDPOST060I3-02	60W	3000K	80 lm/W	1	18,000
6LIP578VF60	LEDPOST060I5-02	60W	5700K	90 lm/W	1	18,000




LED POST TOP GLORICA

Our decorative luminaire provides a unique design engineered to increase roadway performance while providing a great aesthetic look. This timeless design can be used in both contemporary and historical settings. Aesthetically designed Bell Pendant made up of spun aluminium housing, Clear Polycarbonate diffuser is provided for pleasant light output.

Grey epoxy powder coated finish for better aesthetics and LED optical system for exceptional light quality, durability and energy efficiency.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹)#
On Request	LEDBPLO45I3	45W	3000K	90 lm/W	1	On Request
On Request	LEDBPLO60I3	60W	3000K	90 lm/W	1	On Request
On Request	LEDBPLO90I3	90W	3000K	90 lm/W	1	On Request
On Request	LEDBPLO60I3	60W	3000K	90 lm/W	1	On Request



#MRP (inclusive of taxes) per unit



Landscape Light Decorative Pole



LED BUSH LIGHT LILY

LED bush light made with single piece pressure die-cast aluminium housing and IP65 degree of protection suitable for outdoor applications like gardens, tree uplighting etc.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
6L1U308LF09	LEDBUSH009i-01	9W	3000K	80 lm/W	4	5,000



LED SPIKE LIGHT

These LED Garden lights are made of highly durable material with an excellent heat management system. It is constructed using an aluminium die-cast and can withstand tough weather conditions and dust. These LED spike lights are suitable for all scenarios and outdoor areas. The sleek design will add a special charm to any outdoor space. It can be used in parking, garden

area, highways, hospitals, offices, entrances, showrooms etc. These versatile lights are also an excellent decor choice for pubs, restaurants, and coffee shops.

Code	Cat Ref.	Wattage	CCT	Efficacy	Case Lot	MRP (₹) [#]
On Request	LEDSPK00313	3W	3000K	80 lm/W	4	On Request
On Request	LEDSPK00613	6W	3000K	80 lm/W	4	On Request
On Request	LEDSPK00913	9W	3000K	80 lm/W	4	On Request
On Request	LEDSPK01213	12W	3000K	80 lm/W	4	On Request




OUTDOOR LIGHTING

[#]MRP (inclusive of taxes) per unit



DECORATIVE POLE

Decorative lighting is vital to urban redevelopment. It creates a distinctive sense of community, provides an upscale aesthetics. Wide range of decorative poles are available in varied lengths to enliven your outdoor spaces. These low maintenance, corrosion resistant durable poles are easy to install.



OUTDOOR LIGHTING



Column Light Facade Light

COLUMN LIGHTS

With our continued development of products, investment in the latest design and development, we have sustained our position as a leading lighting solution provider. Eveready presents an elegant LED column lights which is suitable for both modern and classic architecture. Our products meet continually changing needs of our customers. Ideal for creating orientation with exceptional visual comfort. These luminaires offer general ambient light in open spaces giving a sense of security in night-time. Designed to provide rotationally symmetrical illumination, and 360° light emission.

Suitable for Private & Public areas, Illuminating Driveways, Pathways, Building surroundings, Entrances, Squares & Gardens and Promenades.

Available CCT - **3000K, 4000K, 5700K**

Wattage - **40W / 60W**

OUTDOOR LIGHTING

FACADE LIGHT


Eveready Facade Lighting is a premium LED lighting solution specially designed to enhance the looks of any building. Light draws attention to shapes, colours and textures of a space, helping architecture achieve its true purpose. Eveready Facade Lighting helps to highlight the construction and core features of a building, making it look more aesthetic, classic and elegant.

Features :

- Dynamic Luminescence
- Energy Efficient
- Optimum & balanced illumination
- High optical clarity
- Sustainable



Smart Automation System for Outdoor Lighting



SMART LIGHTS FOR SMART CITIES

Street Lighting is essential to any growing city. Well-lit roads after sundown not only reduce the probability of accidents, but also go a long way in making people feel safe after dark. As we got busier, so did the city roads. Such evolved lifestyle demands an equally evolved street lighting system. Just like Eveready Centralized Control and Monitoring System with smart automation LED lighting.

OUTDOOR LIGHTING

EVEREADY CCMS STREET LIGHTING

Keeping with the ever-evolving technology and trends in the lighting industry, Eveready has developed LED Street Lights with Centralized Control and Monitoring System (CCMS) for sustainable cities. Be it municipality roads, corporate parks, industrial parks or development authorities, CCMS helps you to remotely monitor and control street lights in a fail-proof way.

The system is based on GSM/GPRS/GPS and Zigbee technology, which connects to the server and enables data logging, monitoring and control. Now control your city's street lighting, set schedules, adjust light levels at any time from wherever you want.

The Bright Side of CCMS



Wireless technology

The complete system configuration and control can be achieved remotely through wireless technology.




Dimming Intensity control

The intensity level of the group and individual street lights can be controlled instantly by pre-programming the intensity levels.



Group dimming

Light network of the same cluster can be dimmed and switched on and off instantly by a single click from the dashboard.



Configuration and Control

Control individual or a group of lamp stands by setting date & time, intensity level, operation mode, and pre-programmed intensity.



Remote monitoring

Street light status such as input voltage, system power, active energy, on-hours, operating mode, and intensity level can be monitored remotely via web application.




Location Maps

Google Maps tracking allows user to locate all the street lights from a single place.



Alarms and Alerts

Raises alert in case of any form of malfunctionings like-network down failures, group failures, excess voltage or current down and more.





Outdoor Lighting Installation




These are the actual installation photographs of our products.






Drivers for LED Luminaries

LED INDOOR LUMINAIRE DRIVERS
LED OUTDOOR LUMINAIRE DRIVERS





Luminaire Driver



INDOOR LUMINAIRE DRIVERS

Auto recovery, constant current 36W & 42W Semi Enclosed LED Driver with IP20 protection can be used for Indoor Commercial Luminaires.

Product Name	Product Code	Product Cat Ref.	MRP (₹)#
Constant Current LED Driver	PSDDPBNP013	ECC036105-42	On Request



OUTDOOR & INDUSTRY LUMINAIRE DRIVERS

IP65 ingress protection Isolated metal encased potted LED Driver intended to use with LED Street Light, LED Flood Light and LED Highbay. These drivers are operated with wide input range.

Product Name	Product Code	Product Cat Ref.	MRP (₹)#
Encapsulated SL,FL & HB Driver	PSDRALNP001	DRIOP045CN	1,400
Encapsulated SL,FL & HB Driver	PSDRALNP002	DRIOP060CN	1,700
Encapsulated SL,FL & HB Driver	PSDRALNP003	DRIOP072CN	2000
Encapsulated SL,FL & HB Driver	PSDRALNP010	DRIOP080CN	2,100
Encapsulated SL,FL & HB Driver	PSDRALNP004	DRIOP090CN	2,200
Encapsulated SL,FL & HB Driver	PSDRALNP011	DRIOP100CN	2,300
Encapsulated SL,FL & HB Driver	PSDRALPP005	DRIOP110CP	3,000
Encapsulated SL,FL & HB Driver	PSDRALNP006	DRIOP120CN	On Request
Encapsulated SL,FL & HB Driver	PSDRALPP008	DRIOP170CP	5,000
Encapsulated SL & FL Driver	PSDFABPP080	ECC065150-80	1,000
Encapsulated SL & FL Driver	PSDRABPP005	ECC065250-110	1,700
Encapsulated HB Driver	PSDRAIPP009	EDD065280-200	4,000
Encapsulated HB Driver	PSDGCIPP011	ECC054200-100	1,755
Encapsulated HB & SL Driver	PSDHPIPP007	ECC054265-150	2,400



#MRP (inclusive of taxes) per unit

WAREHOUSE ADDRESSES

NORTH :

Delhi:

Eveready Industries India Ltd.
Khasra No. 72/2, Ground Floor,
Village - Ghewra, New Delhi -110081

Johal:

Eveready Industries India Ltd.
C/O Lucky Trading Co.,
Hari Pur Nauli Road, Near Amar Cold Store,
Jandu Singha, Distt. Jalandhar,
Punjab-144025

Rohtak:

Eveready Industries India Ltd.
Hissar Bye Pass, 69, Hissar road Rohtak,
Rohtak - 124001 (Haryana)

Parwanoo:

Eveready Industries India Ltd.
C/O Geeta Marketing
Khasra no. 427/2, Narial Road
Sector-4, Parwanoo-173220 (HP)

Jammu:

Eveready Industries India Ltd.
Khewat No. 4, Khasra No. 106, Lane no. 23,
Greater Kailash,
Jammu (J & K) 180011

Jaipur:

Eveready Industries India Ltd.
C/o Logistic Housae,
Plot No-E-168, Road No-9-J,
Opp. Rajasthan Transformers Ltd.,
VKI Area, Jaipur -302013

Varanasi:

Eveready Industries India Ltd.
C/o Excel Enterprises,
M/s Aryan Properties,
Shabababad Darekhu,
Near Jagran Public School,
Varanasi - 221 002

Lucknow Hub:

Eveready Industries India Ltd.
C/O New India Transport Corpn.,
Balramji Estate, D 6 & 7,
Transport Nagar Lucknow (U.P.) 226012

Lucknow:

Eveready Industries India Ltd.
C/O New India Transport Corpn.,
Balramji Estate, D 6 & 7,
Transport Nagar Lucknow (U.P.) 226012

Gorakhpur:

Eveready Industries India Ltd.
C/O Best Enterprise,
Saria, Chapia,
Gorakhpur, U.P.,
Gorakhpur -273 016

Dehradun:

Eveready Industries India Ltd.
C/O Wadhwa Marketing Agency,
Godown No A-24, C&f Complex
Transport Nagar, Sewala Khurd,
Dehradun - 248001, Uttranchal

Haldwani:

Eveready Industries India Ltd.
C/O Vijay Goods Forwarding Agency,
PCF Rossin Factory Compound,
Bareilly Road,
Haldwani - 263139
Uttaranchal

Ghaziabad:

Eveready Industries India Ltd.
C/O R.K. Forwarding Co.,
Khasra No. 678, Major Asha Ram Marg
Saddiq Nagar, Meerut Road,
Ghaziabad 201001

Noida Hub:

Eveready Industries India Ltd.
Unit : Plastic Processing Plant -B-2,
Sector -80, Phase -II,
Dist -Goutam Buddha Nagar
Noida, Uttar Pradesh-201305

EAST:

Dhulagarh:

Eveready Industries India Ltd.
C/O DJR Logistics,
Sankrail Industrial Park, (NH-6),
Near Parle G Godown,
Dhulagarh, Dist. Howrah-711302

Siliguri:

Eveready Industries India Ltd.
C/O Lalchand Company,
B-1, Dabgram Industrial Growth
Centre, Fulbari,
P.O: Satellite Township, Dist:
Jalpaiguri 734015

Cuttack:

Eveready Industries India Ltd.
Plot no.2658, AT/PO - Bhanpur,
Cuttack - 753011

Patna:

Eveready Industries India Ltd.
C/O J.J. Distributors,
Sajia Complex, Near Beur More,
New Patna bye pass Road,
Anishbad, Patna - 800002 Bihar

Ranchi:

Eveready Industries India Ltd.
C/o. Indian Agency,
Plot No. 204, Khata No. 182,
Village Bhargawa, Post Namkum,
Ranchi - 834010, Jharkhand

Muzaffarpur:

Eveready Industries India Ltd.
C/O J.J. Distributors,
C/O Ashoke Transport Agency,,
B-B Gunj, N.H. 28 , Near Apollo Tyre
Godown, Bhagwanpur
Muzaffarpur - 842001

Guwahati:

Eveready Industries India Ltd.
C/o Bhagwati Enterprises,
National Highway 37, Garolia (Sarusbajai),
Near Balaji Parking, Guwahati-781028

Imphal:

Eveready Industries India Ltd.
C/O Manickchand Pawan Kumar,
Thangal Bazar,
Imphal-795001 (Manipur)

Agartala:

Eveready Industries India Ltd.
Sramajibi Colony Near Aralia,
Anukul Thakur Ashram- East Aralia,
Agartala, West Tripura-799004

Jorhat:

Eveready Industries India Ltd.
C/o Everest Agencies,
Hatigarh Ware House,
Ailamukhia Gaon, Chengeli Gaon,
Jorhat, Assam-785010

Silchar:

Eveready Industries India Ltd.
C&F: M/s Modern Times,
House No-148, W/No-19,
Satsanga Ashram Road,
Silchar - 788007, Assam

Andaman:

Eveready Industries India Ltd.
C/o. Jadwet Trading Co. Pvt. Ltd.
Atlanta Point, Aberdeen Bazar,
Port Blair-744101

WEST:

Pune:

Eveready Industries India Ltd.
C/o. Novel Logistics, GAT -789, A/4,
Near Sakal Press, Pune Saswad Road,
Wadaki Nala, Pune,
Maharashtra - 412 308

Nagpur:

Eveready Industries India Ltd.
C/o. Neeta Logistics India Private
Limited., Khasra No. 183, Mouza-Lava,
Fetri Road, Nagpur-440 023,
Maharashtra

Goa:

Eveready Industries India Ltd.
Plot No.-L 132 & L133, Verna Industrial
Estate, Phase-3 Verna, Salcet,
Goa - 403 722

Indore:

Eveready Industries India Ltd.
2-10, T T Nagar, Near Ring Road,
Dewas Naka, Indore,
MP- 452010

Jabalpur:

Eveready Industries India Ltd.
C/o Shree Rahul Transport Company
Pvt. Ltd., Opposite Arihant
Warehouse, Near Patan Bypass,
National Highway-7,
Jabalpur 482 001, Madhya Pradesh

Raipur:

Eveready Industries India Ltd.
Opp. Shiv Dharamkanta, Behind
Durga Fuels, Gondwara,
Ring Road No.2, Raipur-493221

Aslali:

Eveready Industries India Ltd.
126/1-6, Shree Raghuvir Estate,
NH Highway No.8, Aslali,
Ahmedabad-382425

SOUTH:

Chennai:

Eveready Industries India Ltd.
C/o C P Mukundan,
108, G N T Road, Puthali Nagar,,
Madhavaram Chennai-600110

Bangalore:

Eveready Industries India Ltd.
C/o. Sthira Venture
21- D, Peenya 2nd. Phase,
Peenya Industrial Area,
Bangalore - 560058

Cochin:

Eveready Industries India Ltd.
C/o. N. J. Enterprises,
EIL-V 759, Edapally-Muvattupuzha
Road, Club Junction, Edapally,
Cochin 682 024

Secundrabad:

Eveready Industries India Ltd.
C/o. Sri Sai Enterprises,
No. 4-9 /A-1, Road No.16,
I. D. A. Nacharam,
Hyderabad - 500 076 (Telangana)

Vijayawada:

Eveready Industries India Ltd.
C/o. Sri Sairam Agencies,
411/2, 412/2 R.R.Nagar,
Kabela /Industrial Area,
Vijayawada -520012,
Dist: Krishna (Andhra Pradesh)

BRANCH OFFICES

NORTH:

Delhi:

Eveready Industries India Ltd.
UCO Bank Building,
5, Parliament Street,
New Delhi - 110001

Rajasthan:

Eveready Industries India Ltd.
Plot No-E-168,
Road No-9-J,
Opp.Rajasthan Transformers Ltd.,
VKI Area, Jaipur - 13

WUP:

Eveready Industries India Ltd.
UCO Bank Building,
5, Parliament Street,
New Delhi - 110001

Uttar Pradesh:

Eveready Industries India Ltd.
Mill Road, Aishbagh,
Lucknow - 226004

Varanasi:

Eveready Industries India Ltd.
C/o Excel Enterprises,
M/s Aryan Properties,
Shabababad Darekhu,
Near Jagran Public School,
Varanasi - 221 002

EAST:

Kolkata:

Eveready Industries India Ltd.
Anaya Chambers,4th Floor,
Plot -38/5, Block GN Saltlake, Sector -V,
Kolkata -700091

Patna:

Eveready Industries India Ltd.
Sajja Complex
Near Beur More,
New Patna bye Pass Road,Anishabad,
Patna - 800002, Bihar

Cuttack:

Eveready Industries India Ltd.
Plot no.2658, AT/PO - Bhanpur,
Cuttack - 753011

Ranchi:

Eveready Industries India Ltd.
C/o. Indian Agency,
Plot No. 204, Khata No. 182,
Village Bhargawa, Post Namkum,
Ranchi - 834010, Jharkhand

Guwahati:

Eveready Industries India Ltd.
House No.29,
Dr. B.Barooah Road,
Ulubari, Guwahati-871007

WEST:

Gujarat:

Eveready Industries India Ltd.
Shop No.126/1-6,Shri Raghuvir,
Estate,National Highway No.8,
Aslali, Ahmadabad-382425

Madhya Pradesh:

Eveready Industries India Ltd.
2-10 TT Nagar,
Near Ring Road,
Dewas Naka,
Indore (M.P)

Maharashtra:

Eveready Industries India Ltd.
Laxmi Building, Ist. Floor,
Sir P.M.Road, Fort,
Mumbai - 400001

Jalandhar:

Eveready Industries India Ltd.
C/O Lucky Trading Co.,
Hari Pur Nauli Road, Near Amar Cold
Store, Jandu Singha, Distt. Jalandhar,
Punjab-144025

SOUTH:

Bangalore:

Eveready Industries India Ltd.
21D, 2nd. Cross, 1st. Stage,
Peenya Industrial Area,
Bangalore - 560058

Cochin:

Eveready Industries India Ltd.
1/1, Edapally-Muvattupuzha Road,
Club Junction, Edapally,
Cochin 682 024

Hyderabad:

Eveready Industries India Ltd.
No. 4-9 /A-1, Road No. 16,
I. D. A. Nacharam,
Hyderabad - 500 076

Chennai:

Eveready Industries India Ltd.
Ashok Towers, 3rd Floor,
No. 45, Kavignar Bharathi
Dasan Road, Teynampet,
Chennai-600018

PRODUCT CODE RECKONER

Source type	Product type	Product wattage	Integrated Driver	CCT	Product series
LED	DN - Down lighter	XXX	I	3-3000K	01- Gen 1
	PLB - Back lit 2x2			4-4000K	02- Gen 2
	RLL - Recessed linear			5-5700K	03- Gen 3
	LL - Suspended Linear Light			6-6500K	04- Gen 4
	LLUD - Linear Up Down				
	BTA - Aluminium Batten				
	TCR - Track Mounted Batten				
	HB - Highbay				
	WL - Well Glass				
	BK - Bulkhead				
	PC - Weather Proof Capsule				
	BTCR - CRCA Batten				
	TCLN - Top opening clean room				
	BCLN - Bottom opening clean room				
	SL - Street Light				
	FL - Flood Light				
	SS - Solar Street Light				
	BTP - PC Batten				
	WOL - Wolkover Light				
	DNC - COB Downlight				

TERMS & CONDITIONS:

- MRP is inclusive of all taxes
- Prices are subject to change without prior notice
- Company reserves the right to issue amendments, which may arise due to any errors in the price-list
- Due to the continuous technological improvements and design requirements, our products are subject to the upgradation which may result in change of design, shape and data, if compared to the products as appearing in the price-list
- Company reserves the right to discontinue or change specifications of any product as appearing in the price-list, without any prior intimation
- Images are only indicative. Actual products may differ from the one shown in the price-list
- Customers are advised to reconfirm the data or product dimensions before their purchase with concerned Eveready officials
- Warranty voids for LED fixtures including drivers, if individual points of installation are not provided with proper earthing
- SPD are not covered under warranty
- This price-list supersedes all earlier price-lists / price reckoners for luminaire products of the company
- In the case of any conflict / dispute arising out of or in connection with the price-list, the Company's decision will be final and binding
- All rights reserved. Reproduction in whole or part is prohibited
- Subject to Kolkata jurisdiction only